



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/006,525

11/30/2001

Yoon Kean Wong

25216-0869

1364

30554

7590

12/21/2005

SHEMWELL MAHAMEDI LLP  
4880 STEVENS CREEK BOULEVARD  
SUITE 201  
SAN JOSE, CA 95129

EXAMINER

HAILU, TADESSE

ART UNIT

PAPER NUMBER

2173

DATE MAILED: 12/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>Office Action Summary</b>	Application No. 10/006,525	Applicant(s) WONG ET AL.	
	Examiner Tadesse Hailu	Art Unit 2173	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 06 October 2005.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☐ Claim(s) \_\_\_\_\_ is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-39 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

DETAILED ACTION

1. This Office Action is in response to the AMENDMENT submitted and entered on October 6, 2005 for the above identified application number 10/006,525.
2. The pending claims 1 through 39 are examined herein as follows.

***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 37 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 37 recites the limitation "the cellular telephone" in line 1. There is insufficient antecedent basis for this limitation in the claim.

***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

3. Claims 1-6, 9, 10, 12-30 and 32-39 are rejected under 35 U.S.C. 102(b) as being anticipated by Barkan et al (5,536,930).

Barkan discloses an apparatus and method for sensing positional orientations of a portable terminal.

With regard to claim 1:

Barkan discloses a portable terminal (501) including at least a housing having a plurality of housing segments (e.g., front segment (503) ("first segment") and rear segment (505) "second segment").

The terminal also includes a plurality of functions or modules, wherein each modules being encased in one of the housing segments (e.g., bar code reader functionality ("first module") in the rear segment and touch pad and input device functionality ("second module") in the front segment).

The terminal also includes a sensor (509a) to detect an orientation of the portable terminal (Abstract).

The terminal also includes a sensor for sensing different specific positional orientations of the housing (Abstract), wherein the sensor serves as a selection mechanism to alternatively activating at least one modules, that is, either the touch sensitive display (503) or the bar code reader (505) is activated alternatively, based on the detected orientation of the terminal (column 5, lines 15-28).

With regard to claim 2:

Barkan further discloses that each of the plurality of modules ("first" and "second") has a ser of user-interface features (e.g., touch sensitive display, input device, bar code reader) that can be at least alternatively controlled by the selection mechanism (e.g., sensor), and wherein the selection mechanism enables the set of user-interface features of the at least one selected modules (e.g., bar code reading functionality or touch sensitive display functionality) to be operational (column 5, lines 15-28).

With regard to claim 3:

Barkan further discloses that the terminal housing may have substantially the shape of a tablet with first and second planar surfaces. The first and second surfaces may be front and rear surfaces or other outer housing surfaces. Each surface panel surface includes user interface features. Baker also discloses the sensor serves as a selection mechanism to alternatively selecting and activating at least one of the user interfaces of the panel surfaces, that is, either the touch sensitive display (503) or the bar code reader (505) (column 5, lines 15-28).

With regard to claim 4:

As illustrated in Fig. 2A or 2B, Barkan discloses that the front or first exterior panel (503) opposes the rear or second exterior panel (505) (column 5, lines 15-28).

With regard to claim 5:

Barkan further discloses that the sensor determines whether the front exterior panel (503) or the rear exterior panel (505) is positioned downward (Figs. 2A, 2B, column 7, lines 61-column 8, lines 31).

With regard to claim 6:

Barkan further discloses that the sensor detects a direction (e.g., upward or other) of gravity (column 9, lines 1-10).

With regard to claims 9:

Barkan further discloses that the selection mechanism is a processor configured to enable each of the functionality or modules individually or function alternatively (column 5, lines 15-28, column 11, lines 30-36).

With regard to claim 10:

Barkan further discloses that the front segment (503) includes a set of user interface elements including a display and a plurality of selectable switches 509, 510 and 510a (column 7, lines 7-22, column 9, lines 25-33).

With regard to claim 12:

Barkan further discloses alternatively (in turn operating, active or inactive, but not both) activating panel in response to detecting an orientation (Abstract, column 5, lines 15-28).

With regard to claim 13:

Barkan also describes operating a different function (bar code reading using the rear panel or displaying or inputting/tapping using the front panel); all depends on the detected orientation (column 4, lines 33-46).

With regard to claim 14:

Barkan discloses a method of configuring a portable terminal for use (column 3, lines 58-column 4, lines 6).

Barkan discloses a position orientation sensor for detecting an orientation of the terminal (Abstract).

Barkan discloses activating a first function (module) according to the detected orientation of the terminal (Abstract, column 4, lines 33-46).

Barkan also discloses at least a processor that is alternatively shared in a common component between the touch display (first module) and emitter/receiver (second module) (column 5, lines 15-29, column 11, lines 30-36). Barkan discloses at

Art Unit: 2173

least a processor that is alternatively shared between the touch sensitive display and the emitter/receiver (column 4, lines 46-62, column 5, lines 15-30, column 11, lines 30-36). During the activation of one of the functions or modules, i.e., inputting data via touch display or optical scanning via emitter/receiver, the processor activated alternatively or shared alternatively (column 5, lines 15-29, column 11, lines 30-36).

With regard to claim 15:

Barkan further discloses that detecting an orientation of the terminal includes detecting a direction of gravity (column 9, lines 1-10).

With regard to claim 16:

Barkan further discloses that detecting an orientation of the terminal is performed in an automatic process in response to activating the terminal (Abstract, column 4, lines 33-46).

With regard to claim 17:

Barkan further discloses detecting and activating an orientation of the first module (e.g., touch display for inputting data) that occurs when the terminal detecting an upward facing orientation (Fig. 2B, column 7, lines 61-column 8, lines 31).

With regard to claim 18:

Barkan further discloses maintaining a non-selected module in a non-active state (e.g., emitter/receiver second segment 505) until a new orientation is selected (column 8, lines 32-51, column 9, lines 11-24).

With regard to claim 19:

Barkan further discloses detecting a change in the orientation of the terminal to a new orientation (column 4, lines 33-54).

With regard to claim 20:

Barkan further discloses activating/selecting a second module (e.g., emitter/receiver second segment 505) in response to detecting the new orientation of the electronic device (Abstract, column 4, lines 33-54).

With regard to claim 21:

Barkan further discloses deactivating the first module (e.g., touch sensitive display 503) in response to detecting the new orientation of the electronic (column 4, lines 33-54, column 5, lines 15-28).

With regard to claim 22:

Barkan discloses an electronic device terminal (Fig. 1A). Barkan discloses inputting data via touch sensitive display ("a first module") and optical scanning via emitter/receiver ("a second module"). The touch sensitive display and emitter/receiver are integrally coupled to each other (Fig. 1A). Barkan also disclose an orientation detection mechanism, i.e., sensor to select one of he first module and second modules according to an orientation of the electronic device (Abstract). Barkan also discloses at least one of said first and second modules is configured to engage in at least one form of wireless communication. Barkan describes several form of communication including wireless communication (column 10, lines 55-65).

With regard to claim 23:



Barkan further discloses that the orientation detection mechanism includes a sensor that detects the orientation (Fig. 1, 509a).

With regard to claim 24:

Barkan further discloses that the orientation detection mechanism includes a processor that activates the selected module (column 7, lines 24-40, column 11, lines 30-36).

With regard to claim 25:

Barkan further discloses that the orientation detection mechanism includes a processor that deactivates the selected module (column 11, lines 30-36).

With regard to claim 26

Barkan discloses a portable terminal that includes a housing having a plurality of surface including front or first surface (503) and a rear or second surface (505).

Barkan also discloses a first set of user-interface features (e.g., touch sensitive display) provided on the first surface (503).

Barkan also discloses a rear or second set of user-interface features (e.g., emitter/receiver window) provided on the rear or second surface (505) (also see column 7, lines 41-54).

Barkan also discloses a sensor (509a), a detection mechanism to detect an orientation of the portable terminal (Abstract).

Barkan also discloses a positional orientation sensor (Abstract), a selection mechanism to automatically select one of the first or second set of user interface

features to be active, based on the detected orientation of the portable terminal (Abstract, column 4, lines 33-46).

Barkan also discloses at least a processor as a common component that can functionally engaged by the touch sensitive display (the first set of user interface features) when they are active, and the emitter/receiver (the second set of user interface features) when they are active (column 4, lines 46-62, column 5, lines 15-30, column 11, lines 30-36).

With regard to claim 27:

Barkan also discloses a plurality of user interface features in both front and rear surface of the terminal, the front surface including a touch screen display, input device, and the rear surface including an input/output means for light receiver/emitter window.

With regard to claim 28:

Barkan also discloses that the selection mechanism is a component selected from a group of components consisting of a processor (column 11, lines 30-36), a display driver of touch display (503)(Fig. 1), and a switch (509) (column 7, lines 7-22).

With regard to claim 29:

Barkan discloses that the detection mechanism is a sensor capable of detecting gravity (column 9, lines 1-10).

With regard to claim 30:

Barkan further discloses that the front or first surface (503) is on a first panel, and wherein the rear or second surface (505) is on a rear or second panel that opposes the front panel (503) (see FIG. 1D or 2B).

With regard to claim 32:

Barkan further discloses that the touch sensitive display (503) is configured to operate or activate in an alternative mode wherein the first module, the touch sensitive display (503) and the second module, the emitter/receiver are operational concurrently (column 4, lines 33-46, column 5, lines 15-29). For example, as In one specific position the terminal can be activated to perform a first function, such as accepting operator inputs, while in another positional orientation the terminal can be activated to perform a second function, such as optical scanning, which is different from the first function (column 4, lines 33-46).

With regard to claim 33:

Barkan further discloses that deactivating the first module (column 4, lines 33-46); and activating the second module, wherein the common component remains active during the activation of the second module (column 4, lines 33-46, column 4, lines 63-column 5, lines 29).

With regard to claims 36 and 37:

Barkan also discloses a communications interface to permit the data acquisition system to communicate with other components of a local or wide area network or with the telephone exchange network, either through a modem or an ISDN interface, or by low power radio broadcast, or other form of wireless communications, from a portable terminal to a stationary or mobile receiver (column 10, lines 55-65).

With regard to claims 34 and 38:

Barkan also discloses that the common component is a processor (column 11, lines 30-36).

With regard to claims 35 and 39:

Barkan also discloses that the common component, such as switch 509 as a user interface feature (Fig. 1B).

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

4. Claims 7, 8, 11 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Barkan et al (US Pat No. 5,536,930) in view of Clapper (US Pat No. 6,704,007).

With regard to claim 7:

While Barkan discloses operational sensor (509a), but Barkan does not describe that said sensor is an accelerometer sensor. Clapper, on the other hand, describes accelerometer sensor (Fig. 5, #32).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to replace the accelerometer sensor of Clapper in place of Barkan's sensor.

The suggestion /motivation for doing so would have been to provide an indication of the orientation of the portable terminal (Clapper, column 4, lines 59-62).

Therefore, it would have been obvious to combine Clapper and Barkan to obtain the invention as specified in claim 7.

With regard to claims 8 and 31:

Furthermore, while Barkan illustrates (e.g., Fig. 2A) a plurality of segments of the portable terminal, but it is not clear whether one segment is detachably coupled to the other segments. Clapper, on the other hand, illustrates (Fig. 1) detachably coupled segments (display and keyboard) of the portable device (10).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to use Clapper's portable device (with detachably coupled segments) in place of Barkan's portable terminal.

Therefore, it would have been obvious to combine Clapper and Barkan to obtain the invention as specified in claim 8.

With regard to claim 11:

Barkan in view of Clapper discloses a plurality of user interface elements on both sides of the electronic device's segment including display and a plurality of selectable surfaces (Clapper, Fig. 1).

### ***Response to Arguments***

4. Applicant's arguments with respect to claims 1-39 have been considered but are not persuasive. The applicant argues, "*Barkan does not disclose or suggest an embodiment wherein first and second modules are respectively contained within separate first and second housing segments. For at least these reasons, independent Claim 1 now stand allowable over the teachings of Barkan.*" In contrast to the

applicant's argument, claim 1 does not recite, "...separate first and second housing segments", claim 1 instead recites a housing having first and second segments. Similarly, Barkan discloses a housing having plurality of segments including a front segment (503) and rear segment (505) (e.g., Fig. 1A).

The applicant argues, "*Barkan does not disclose or suggest an active component that is shared between various modules during their respective periods of activity. For at least these reasons, independent claim 14 now stand allowable over the teachings disclose in Barkan.*" In contrast to the applicant's argument Barkan discloses a processor that alternatively activate the touch sensitive display and the emitter/receiver, thus, Barkan discloses at least a processor that is shared between the touch sensitive display and the emitter/receiver (column 4, lines 46-62, column 5, lines 15-30, column 11, lines 30-36).

The applicant argues, "*Barkan does not disclose or suggest a limitation of a module configure to engage in at least one form of wireless communication. For at least these reasons, independent claim 22 now stands allowable over the teachings disclosed in Barkan.*" In contrast to the applicant's argument, Barkan describes several forms of communications including wireless communication (column 10, lines 55-65).

The applicant argues, "*Barkan does not disclose or suggest a common component that is shared between various modules, such as a processor, that is capable of actively engaging the selected module. Accordingly, independent claim 26 now stands allowable over the teachings disclosed in Barkan.*" In contrast to the applicant's argument Barkan discloses at least a processor that is alternatively shared

between the touch sensitive display and the emitter/receiver (column 4, lines 46-62, column 5, lines 15-30, column 11, lines 30-36).

Having fully addressed the applicant's argument, the rejection still stands.

### CONCLUSION

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

6. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Tadesse Hailu, whose telephone number is (571) 272-4051. The Examiner can normally be reached on M-F from 10:30 – 7:00 ET. If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, John Cabeca, can be reached at (571) 272-4048 Art Unit 2173.

Art Unit: 2173

7. An inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 305-3900.

Examiner Tadesse Hailu  
Art Unit 2173  
12/19/05

A handwritten signature in black ink, appearing to read 'Tadesse Hailu', written in a cursive style.



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**